





# COMPANY PROFILE & CATALOUGE



# **ABOUT US**

Eterna operates from its manufacturing unit strategically located in Noida and consistently invest in state of art plat and machinery to ensure manufacturing is complete in an efficient and cost-effective manner with no compromise on Quality. Our facility operates 24 hours, and our manufacturing process underpins short turnaround time. The products manufactured in our facility are designed Utilising latest CAD/CAM software.



The products are designed in-house for the ease of assembly, safety, and security. The products are durable, standing the test of time.

Our clients are globally renowned. They range from the icons of communication, retail, interior, power, and energy industry.

Speed, Flexibility, Customer satisfaction are our watchwords. Eterna's can-do culture and continuous improvement approach motivated employees to design, manufacture and assemble products efficiently.

Customers appreciate they have a reliable partner who can design, manufacture, and deliver quality solutions that meet all of their sheet metal requirements.



# **Our Vision**

- Offering customer with high quality products
- Placing high value in development of Human Resources
- Making our Processes and products environmentally sustainable



# **Our Mission**

- To keep innovating our process to reduce carbon footprint
- To ensure timely delivery to our customers
- Offering one stop shop from their design to implementation need
- Be at the forefront to support our customers in renewable energy sources





## **ETERNA GLOBAL SOLUTIONS**

# **CAPABILITIES**



# DESIGN AND DEVELOPMENT

With in-house development team, we are well-equipped to make new design of recommend suggestions to existing design.



#### **CNC BLANKING**

Turret Punch Presses and Laser Cutting Machines allow us to cut/piece through thick material and cut any shape.



#### **FOLDING AND FORMING**

Our Bending process let us bend the metal in a desired profile.



# FABRICATION & WELDING

Fiber Welding, TIG, MIG and Spot welding allow us to weld any type of material



#### **POWDER COATING**

Large ovens and booths allow us to powder coat and run multiple colours at the same time..



# INTEGRATION AND ASSEMBLY

With metal and other materials coming together, we offer assembly services to our customer.



# WAREHOUSE AND LOGISTICS

Should you need to stock finished goods, reach out to us. With plenty of space at bay, we can store goods for you.



#### **STAMPING**

Big and massive production runs with cost constraints. No issues. With a stamping division, we can offer competitive pricing with quick turnaround





# **ENVIRONMENT & QUALITY**

As a small-scale business that has been into sheet metal fabrication since 2018, Eterna's has been focusing focus on reducing its carbon footprint. A more environmentally conscious approach is spearheading not only in our manufacturing procedures, but across our entire organization.

A waste and recycling programme to recycle our waste raw materials such as steel and powder are at the forefront. ISO certifications to meet the 9001, 14001 exhibit our commitment to sustainable growth.


We have recently installed an Electric Vehicle charger in our premises to support and promote shift towards Electric Vehicles. We ensure our logistics partners are utilising vehicles with Compressed Natural Gas (CNG) engines to transport the finished goods at various locations.

Eterna, from time to time, commits to the society as well. Be it running plantation drives or running campaigns to support Blind Schools in Delhi we strive hard to support to community. We recently, donated some equipment to an NGO in Southern India to demonstrate our commitment to not only organisations in our community but across India.











#### **DATA/SERVER RACK – 19" ENCLOSURES**

The Data/Server enclosure range has been designed to accommodate the requirement of a cost-effective server cabinet solution. This product is available in welded construction, fully assembled or flat packed. Choice of complementing colours also available.

#### Eterna Server Enclosures

Manufactured in Galvanised steel, our server range can accommodate all of today's data centre requirement. This range of enclosures can be supplied with various door options. Be it single piece mesh, wardrobe style or glass doors. The internal mounting profiles can accommodate all of todays server manufacturers products.



Model shown here is with Glass Door Actual Product may differ from the photograph

#### **Typical Application**

- Data Centres/ Comms Rooms
- 19 Server Equipment Housing
- Communication Systems

#### **Enclosure Features**

- Lever latch lock with three-point locking system
- 65-85% airflow mesh
- Lockable Side Panels (Optional)
- Fully Adjustable 19" Mounting Profile
- Vented Top with Cable Entry
- Full Length Vertical Cable Management (Optional)
- Earthing Strip (Standard)
- Full Range of Complementing Accessories
- Transport Castors Welded or Flatpack

#### **Eterna Advantage**

- Multiple Door Configurations
- Bespoke Roof options to cater to overhead cabling
- Custom Sizing Available
- Customer Colours & Finishes Available
- Galvanised Steel
- Extreme Corrosion Resistance





Light Grey Black RAL 7035 RAL 7035











#### Server/Data Enclosure

The recent addition to our enclosure range has been 1200mm depth to match requirements of high-density power distribution and cooling requirements. This product is readily available and offers all our standard features.



Multiple roof access points



Lever latch locking mechanism



Vendor neutral adjustable mounting profiles



Bolted/Welded steel frame chassis with high load capacity

A full range of door variants are available



Glass Mesh Wardrobe



- Lever latch 3 point locking system
- Individual and unique key variants
- Combination locking solutions
- Network controlled and proximity electronic locking systems



Vented Top & Bottom with Removable & Vented Sides









# **SERVER RANGE**



Model shown here is with Glass Door Actual Product may differ from the photograph

#### SPECIFICATION AND ORDERING CHART

#### 600mm wide enclosures

<b>Product Code</b>	U Height	Width (mm)	Depth (mm)
EGS-SVR-12610	12	600	1000
EGS-SVR-12610	12	600	1000
EGS-SVR-27610	27	600	1000
EGS-SVR-27612	2 27	600	1200
EGS-SVR-42610	) 42	600	1000
EGS-SVR-42612	2 42	600	1200
EGS-SVR-45610	) 45	600	1000
EGS-SVR-45612	2 45	600	1200
EGS-SVR-47610	) 47	600	1000
EGS-SVR-47612	2 47	600	1200

#### 800mm wide enclosures

<b>Product Code</b>	U Height	Width (mm)	Depth (mm)
EGS-SVR-27810	27	800	1000
EGS-SVR-27812	27	800	1200
EGS-SVR-42810	42	800	1000
EGS-SVR-42812	42	800	1200
EGS-SVR-45810	45	800	1000
EGS-SVR-45812	45	800	1200
EGS-SVR-47810	47	800	1000
EGS-SVR-47812	47	800	1200



RAL 7035



RAL 7035











# **DATA RANGE**



Model shown here is with Glass Door Actual Product may differ from the photograph



## **SPECIFICATION AND ORDERING CHART**

#### 600mm & 800mm wide enclosures

<b>Product Code</b>	U Height	Width (mm)	Depth (mm)
EGS-1266	12	600	600
EGS-1268	12	600	800
EGS-1866	18	600	600
EGS-1868	18	600	800
EGS-2766	27	600	600
EGS-2768	27	600	800
EGS-2786	27	800	600
EGS-2788	27	800	800
EGS-3266	32	600	600
EGS-3268	32	600	800
EGS-3286	32	800	600
EGS-3288	32	800	800
EGS-4266	42	600	600
EGS-4268	42	600	800
EGS-4286	42	800	600
EGS-4288	42	800	800
EGS-4566	45	600	600
EGS-4568	45	600	800
EGS-4586	45	800	600
EGS-4588	45	800	800
EGS-4766	47	600	600
EGS-4768	47	600	800
EGS-4786	47	800	600
EGS-4788	47	800	800









# **WALL MOUNT RANGE**

Our Wall Mount Data cabinets are designed to be quick and easy to installed whilst being sturdy and of a smart appearance.



Model shown here is with Glass Door Actual Product may differ from the photograph

#### SPECIFICATION AND ORDERING CHART

#### 600mm wide enclosures

<b>Product Code</b>	U Height	Width (mm)	Depth (mm)
EGS-WM-6640	6	600	400
EGS-WM-6655	6	600	550
EGS-WM-9640	9	600	400
EGS-WM-9655	9	600	550
EGS-WM-12640	12	600	400
EGS-WM-12655	12	600	550
EGS-WM-15640	15	600	400
EGS-WM-15655	15	600	550
EGS-WM-18640	18	600	400
EGS-WM-18655	18	600	550
EGS-WM-21640	21	600	400
EGS-WM-21655	21	600	550



Light Grey RAL 7035



Black RAL 7035



Flat-Pack Option









#### **SERVER/DATA ENCLOSURES - DOOR VARIANTS**

Our data and server rack range are supplied with industry standard door and side panels. However, there are a number of alternative which can be provided should there be a requirement

#### **Rear Steel Door**





Quick Release Hinge



Cam Locking System



Low Level Venting

#### **Part Codes**

<b>Product Code</b>	U Height
EGS-RD126	12
EGS-RD186	18
EGS-RD276	27
EGS-RD278	27
EGS-RD-326	32
EGS-RD-328	32
EGS-RD-426	42
EGS-RD428	42

- Fitted with Cam Lock
- Optional Venting
- Additional Locking Options
- Quick Release Hinge

#### **Glass Door**





Quick Release Hinge



**Recess for Logos** 



Slam Latch Lock

#### **Part Codes**

Product Code	U height
EGS-GD126	12
EGS-GD186	18
EGS-GD276	27
EGS-GD278	27
EGS-GD-326	32
EGS-GD-328	32
EGS-GD-426	42
FGS-GD428	42

- Fitted with Three Point Lock
- Toughened Glass
- Additional Locking Options
- Quick Release Hinge









## **SERVER/DATA ENCLOSURES - DOOR VARIANTS**

Our data and server rack range are supplied with industry standard door and side panels. However, there are a number of alternative which can be provided should there be a requirement

#### **Mesh Door**





3 Point Locking



65% Mesh



Lever Latch Lock

#### **Part Codes**

<b>Product Code</b>	U Height
EGS-MD126	12
EGS-MD186	18
EGS-MD276	27
EGS-MD278	27
EGS-MD-326	32
EGS-MD-328	32
EGS-MD-426	42
EGS-MD428	42

- Fitted with Three Point Lock
- 65-85% Mesh for Better Airflow
- Additional Locking Options
- Quick Release Hinge

## Wardrobe Style Doors





3 Point Locking



65% Mesh



Lever Latch Lock

#### **Part Codes**

<b>Product Code</b>	U height
EGS-WD126	12
EGS-WD186	18
EGS-WD276	27
EGS-WD278	27
EGS-WD-326	32
EGS-WD-328	32
EGS-WD-426	42
EGS-WD428	42

- Fitted With Three Point Lock
- Solid Steel, Mesh Or Glass Options
- Additional Locking Options
- Quick Release Hinge









#### IP RATED - ENCLOSURES

To complement our range of Networking racks, we also offer a range of IP cabinets. This range is designed to provide ingress protection to the equipment installed inside the cabinet. The cabinets are equipped with air filters as well to prevent dust and pollen.

#### **Eterna IP Enclosures**

Manufactured in Galvanised steel, our IP rated cabinets are extremely resistant to rust. They offer extreme rust protection. The internal configuration 19 inch mounting profile and side

rails to mount equipment anywhere you like within the cabinet. A suggested 100mm plinth with cable entry provisions is standard with every cabinet.



Model shown here is with Optional Lock Protector Actual Product may differ from the photograph

#### **Typical Application**

- Networking/ Cabling
- 19 Equipment Housing
- Data & Telephony Systems

#### **Enclosure Features**

- 3 or 4 point locking mechanism
- Widths 600mm or 800mm
- Adjustable Mounting 19 inch Pillars
- Solid Steel Doors
- Water Repellent roof design
- Gland Plate at bottom
- Welded Construction in Galvanised Steel

#### **Eterna Advantage**

- Removable Filters
- Offers excellent Ingress Protection
- Over 1000 hours Salt Spray Testing
- Thermostatically Controlled Options
- Extreme Corrosion Resistance
- EPDM Door Seal Gasket







Light Grey RAL 7035


Black RAL 7035











Model shown here is with Optional Lock Protector Actual Product may differ from the photograph

The IP Range of enclosure can be supplied with a choice of doors for front and rear of the cabinet. These include glass, Solid Metal and wardrobe

style options like our Server/Data rack range. Contact us for more information.

Security OptionsThree point door locking system as

Individual key and

combination locking

Electronic locking

options available.

standard

optionsStandalone and networkConfigurable



Internal IP Rated gasget



Inlet and exhaust fans with filters



Lever latch with 3 point locking



Model shown here is with single point Lock Actual Product may differ from the photograph



Optional Filter at the Rear Door









# **IP RATED - ENCLOSURE**



Model shown here is with Optional Lock Protector Actual Product may differ from the photograph

## SPECIFICATION AND ORDERING CHART

#### 600mm & 800mm wide enclosures

<b>Product Code</b>	U Height	Width (mm)	Depth (mm)
EGS-IP-2766	27	600	600
EGS-IP-2788	27	800	800
EGS-IP-27810	27	800	1000
EGS-IP-4268	42	600	800
EGS-IP-42610	42	600	1000
EGS-IP-4286	42	800	600
EGS-IP-4288	42	800	800
EGS-IP-42810	42	800	1000
EGS-IP-4768	47	600	800
EGS-IP-47610	47	600	1000
EGS-IP-4786	47	800	600
EGS-IP-4788	47	800	800
EGS-IP-47810	47	800	1000

	0	No Protection	No Protection
1	1	Protected against Solid Objects over	Protected against vertically falling drops of
l		50mm e.g. hands, large tools	water of condensation
	2	Protection against Solid Objects over 12.50mm	Protected against falling drops of water, if the case if disposed up to 15mm from vertical
١	3	Protected against Solid Objects Over	Protected against sprays of water from any direction even if the case is disposed up to 60 millimetres from vertical
	4	Protected against solid objects over 1.0 millimetre example wire	Protected against splash water from any direction
	5	Limited protection against dust ingress	Protected against low pressure voter jets from any direction limited ingress permitted
	6	Totally protected against dust ingress	Protected against high pressure voter jets from any direction limited ingress permitted
	7	N/A	Protected against short periods of immersion in water
	8	N/A	Protected against long durable periods of emersion in water

emersion in water



Light Grey RAL 7035



Black RAL 7035












# **Enclosure Buying Guide**

When choosing the correct specification of enclosure for the correct environment there are number of key points which require clarification to assist Eterna has provided a specification flow chart for enclosures to ensure key factors are covered. This will enable us to configure a standard enclosure to meet your exact requirements.









# **PRODUCT PORTFOLIO**







